


Part 2




Now there are 3 bare frame wires on both sides of the pendant.

Step 5 - Design

Great place to take a break!

Stretch your neck up, look out from your hands and stretch your eyes.

Smile! You're doing great!




Cut a fresh piece of 28g wire, 1.5 feet long.

Tip: For texture, you could use a thicker wire like 26g.


Wrap a single coil on the wire closest to the bead.


Wrap neat coils for 1 and ¼ inch, moving up the wire, toward the top of the pendant.

Curve the coiled wire up along the side of the bead, matching the curve in the weaved wires.



Wrap until your coil reaches the top of the pendant and neatly meets the coil on the other side.





Hold the coiled wire in place to keep its shape and take the end of the wire 360 degree tightly around the pendant neck....



... then a half round more to the other side of the pendant.

The end of the wire should be to the side of the pendant that has no coiled wires running up the bead.




Use flush cutters and cut the wire to approximately $\frac{3}{4}$ inch.

Use round nose pliers to create a small spiral at the center of the pendant neck, over the top center of the bead.

(A great way to hide any wire coming from the bead hole!)

Take a look ahead and then do the spiral.



Use round nose pliers, grab the wire end with the tip of the pliers and twist your wrist, moving toward the bead.

Just before your plier head 'collides' with the wire length, gently let go and regrip the wire to continue turning.



Turn a cute spiral into the top center of the bead.

Use your fingers to press the spiral against the bead if needed.




Take the two bare frame wires next to the precious coiled wire.

Gently curve them up the side of the pendant, matching the curve of the weaved wires.

Bring the ends of the bare wire to the opposite side of the pendant neck.




Hold the wire shape firmly...




... and make a sharp 360 bend in both wires around the pendant neck.



...and then a half turn more




To end the wires on the side of the pendant without the spiral.



Cut the 'lower' wire to approximately $\frac{3}{4}$ inch.

These contents and this design can not be redistributed in tutorial form or taught, without written consent.


Copyright@2019 Susan Gardner



Use round nose pliers, grab the end of the wire and make a turn moving down and toward the bead.



Continue to turn a spiral into the center of the pendant.



Make a gentle curve in the 'upper' wire, around the spiral.

Cut the wire at approximately 1 inch.



Use round nose pliers, grab the end and turn a gentle curve to match the curve in the spiral.

Tuck the end of the wire under the spiral and neatly out of the way.

Use your fingers and center the wires if needed. Press them gently into the stone if needed.

Only 3 more wires to go!




Turn the pendant over.

Take the inside wire and gently curve it up the stone, following the curve of the weaved wires.



Cut the wire to approximately $\frac{3}{4}$ inch.



Use round nose pliers, grab the end of the wire and twist your wrist to create a small cute spiral moving toward the bottom center of the stone.



Use your fingers to center the spiral and press it against the stone if needed.



Create a gentle upward curve in the center wire, following the curve of the bead.

Cut the wire down to approximately 1 inch.



Use round nose pliers, grab the end of the wire and make a soft curve, matching the curve in the first spiral.

Tuck the end behind the first spiral.

Last wire!!




Cut the wire to approximately 1 inch



Use round nose pliers, grab the end of the wire and turn in the opposite direction to create a tiny loop at the end of the wire.

Use your fingers to position the loop if needed.

Press it against the frame/bead if needed.



Use nylon jaw pliers and give gentle pressure to the bottom of the pendant.

Careful not to take anything out of shape!

Just do gentle pressing with nylon jaws, to harden the wires.

Congratulations!! You've done an amazing job and have created a beautiful two sided pendant!

Thank you for your business!

I hope you've enjoyed your project!



These contents and this design can not be redistributed in tutorial form or taught, without written consent.

Copyright@2019 Susan Gardner

Please visit my new website for more class schedules, details and registration:

<https://www.perfectlytwistedjewelry.com/>

<https://www.perfectlytwistedjewelry.com/calendar.html>

<https://www.perfectlytwistedjewelry.com/classes.html>

<https://www.perfectlytwistedjewelry.com/shop.html>

Visit my Blog for free wire wrapping tutorials and jewelry making articles!

<https://www.perfectlytwistedjewelry.com/blog>

<https://www.perfectlytwistedjewelry.com/blog/category/free-tutorials>

Please keep in touch, like and follow me on social media!

<https://www.facebook.com/PerfectlyTwistedJewelry>

<https://www.facebook.com/izzygumbo>

www.instagram.com/izzygumbo/

<https://www.pinterest.com/PerfectlyTwistedJewelry/boards/>

Email anytime!

PerfectlyTwistedJewelry13@gmail.com